ĵ o	/183,200
	10,200

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6818	(device with storage with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L2	3956	((storage adj device) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L3	277	((storage adj device) with different with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L4	120	((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L5	0	L4 and (content with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L6	68	((storage adj devices) with different with protocols) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L7	3	L6 and ((content or media) with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L8		L7 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L9	130948	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

			•			
L10	124	L9 and (storage with devices with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/18 10:29
L11	63	L9 and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L12	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L13	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) near3 protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L14	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L15	128	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/18 10:29
L16	56	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L17	1	L4 and (content near2 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L18	3	L4 and (content with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L19	4	"20030182593" or "6232541".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

			, , ,		_	
L20	2	"20050076388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L21	. 2	"200500277 4 0"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L22	48509	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L23	2949	L22 and (conver\$4 with (media or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L24	23	L22 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/18 10:29
L25	48509	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L26	23	L25 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L27	0	L26 and (storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L28	6007	(storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L29	14	(storage with network with protocols with content with device with connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

			•			•
L30	9	(storage with network with protocols with content with device with connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L31	. 0	((storage near2 devices) with (network near2 protocols) with (stor\$4 near2 (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L32	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 with (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L33	0	((storage near2 devices) with (network near2 protocols) with according) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L34	40	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L35	2	"20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L36	4	"20030163724" or "20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 12:59
L37	1	707/104.1.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:31
L38	0	713/200.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L39	0	713/200.ccls. and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

L40	0	713/193.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L41	0	705/51.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L42	2	713/193.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
L43	1	707/204.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/18 10:31
L44	0	707/10.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:31
L45	2	"20030163724" or "20030154390"	US-PGPUB	OR	ON	2007/01/18 12:59
S1	6010	(device with storage with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:46
S2	3498	((storage adj device) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 18:57
S3	249	((storage adj device) with different with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 18:58
S4	107	((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:58

S5	1	S4 and (content near2 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:16
S6	3	S4 and (content with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:21
S7	0	S4 and (content with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:00
S8	63	((storage adj devices) with different with protocols) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:00
S9	3	S8 and ((content or media) with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:03
S10	2	S9 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:01
S11	129221	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:06
S12	117	S11 and (storage with devices with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:05
S13	61	S11 and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:05
S14	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:07

		LAST Searc				
S15	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) near3 protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:07
S16	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:15
S17	117	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:15
S18 ·	.55	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:57
S19	4	"20030182593" or "6232541".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 19:03
S20	2	"20050076388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 11:25
S21	2	"20050027740"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:21
S22	47422	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:48
S23	2849	S22 and (conver\$4 with (media or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:49
S24	23	S22 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:13

			·			
S25	47422	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/30 10:13
S26	23	S25 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:13
S27	0	S26 and (storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:14
S28	5258	(storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/07/30 10:14
S29	13	(storage with network with protocols with content with device with connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:14
S30	8	(storage with network with protocols with content with device with connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:49
S32	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 near2 (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:52
S33	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 with (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:52
S34	0	((storage near2 devices) with (network near2 protocols) with according) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:52
S35		((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 13:56

S36	2	"20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/30 11:26
S37	4	"20030163724" or "20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/07/30 13:57
S38	1	707/104.1.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:58
S39	0	713/193.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:58
S40	1	713/193.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 14:00
S41	0	713/200.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:59
S42	0	713/200.ccls. and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:59
S43	0	705/51.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 14:00